

MATERIAL SAFETY DATA SHEET

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name: Lash Growth Activating Serum

3ml = 4340611002 SDS contains 8 pages

Use of substance / mixture: Cosmetics, Improves flexibility, strengthens the natural lashes and prevents breakage.

Gives a significant increase in length and volume within 14 days.

Details of the supplier of the safety data sheet:

Company name: International Beauty Partners B.V.

De Run 4221

5503 LM Veldhoven The Netherlands

Tel: +31 (0) 40 - 2069509 Fax: +31 (0) 40 - 2065481 Email: info@wwbdgroup.com

Emergency tel: National Poison Centre Netherlands tel: +31 (0)30 – 2748888 '

Only for the purpose of informing medical personnel in cases of acute intoxications'

SECTION 2. HAZARDS IDENTIFICATION

2.1. 2.1 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Signal word: Warning

Hazard-determining components for labeling: Ethanol, 2-propanol

H phrases: H226 - Flammable liquid and vapor.

H319 - Causes serious eye irritation.

P-phrases:

P210 - Keep away from heat / sparks / open flames / hot surfaces. Do not smoke.

P403 + P235 - Keep cool in a well-ventilated place.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes

Rinse. Remove any contact lenses if possible. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice / attention.

P501: Dispose of container to a licensed waste disposal company, Waste Code Number: 07 06 99.

P502 - Ask for information on reuse / recycling at the manufacturer / supplier



2.2 Label elements

Hazard pictograms	
Signal word	Warning
Response	Other dangers: For the people - NONE In use, formation of explosive / highly flammable vapor-air mixtures possible. can cause skin irritation. For the environment: Slightly hazardous to water. Water hazard class 1. Persistent, bioaccumulative and toxic (PBT) substances: None. Very persistent and very bioaccumulative (vPvB) substances: None

NUTE: Refer to Section 11, Toxicological Information for Details

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1.Mixtures

Hazardous ingredients; Non

Chemical identity	CAS#	EINECS#	INCI Name	Classification Regulation (EC) No. 1272/2008 [CLP]	%
Ethanol / 01- 2119457610-43	64-17-5	200-578-6	Alcohol	GHS02 GHS07 H225 H319	10-20

H225 = Flam. Liq. 2,

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if possible. Continue rinsing. If eye irritation persists: Get medical advice / attention.
Skin contact	Wash with water and soap. If skin irritation persists, call a physician
Inhalation	Go to the fresh air. If the problems are persistent, consult a doctor
Ingestion	Rinse your mouth and drink plenty of water. If swallowed in large quantities, seek medical advice immediately
Protection of first-aiders	



4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects	
Eye contact	
Inhalation	
Skin contact	
Ingestion	
Over-exposure signs/symptoms	
Eye contact	
Inhalation	
Skin contact	
Ingestion	

SECTION 5. FIRE-FIGHTING MEASURES

Flash Point (°F/°C)	Flammable Limit (vol %)	Auto-ignition Temperature (vol%)
>35		

Method:

Extinguishing Media	Water, foam, extinguishing powder and carbon dioxide
Fire Fighting Instructions	
Unusual Hazards	
Hazards from the substance or mixture	
Hazardous thermal decomposition products	In case of fire may be released: carbon oxides.
5.3 Advice for firefighters	
Special protective actions for fire-fighters	Cool containers / tanks with water spray
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus. Tight closing chemical protective suit

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.2 Environmental precautions			
For non-emergency personnel	Use personal protective equipment. Do not inhale steam. Ensure adequate ventilation. Remove all sources of ignition		
For emergency responders	Use personal protective equipment. Do not inhale steam. Ensure adequate ventilation. Remove all sources of ignition.		
6.3 Methods and material	6.3 Methods and material for containment and cleaning up		
Small spill	Absorb with liquid-binding materials. In suitable containers for recovery or disposal respectively. Wash away traces with water.		
Large spill	Do not allow large quantities to reach drains / surface waters / groundwater. If large quantities of spilled material can not be contained, local authorities should be notified. Absorb with liquid-binding material (eg Universal binding medium) and in suitable containers for disposal		
6.4 Reference to other sections			
	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information		



SECTION 7. HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1. Precautions for safe handling

Protective measures	Do not inhale steam. Avoid contact with eyes and skin. Ensure adequate ventilation
	especially in closed rooms. Vapors are heavier than air and spread above the ground.
	Keep container tightly closed and store in a cool, well-ventilated place.
Advice on general	Avoid contact with eyes. Do not inhale steam. Do not eat, drink or smoke at work.
occupational hygiene	Remove soiled clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Stable floor against solvents. Ensure adequate ventilation. Protect from sunlight. Do not store together with: Radioactive substances, infectious substances, non-combustible toxic substances, organic peroxides, oxidizing substances, substances which, in contact with water, form flammable gases, self-igniting substances and flammable solids. Storage class: 3 (VCI concept)
	Information about fire and explosion protection:
	Usual measures of preventive fire protection.

7.3. Specific end use(s)

Explosion Hazard	Cosmetic product: To increase the adhesion of the eyelash adhesive
------------------	--

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases

8.1. Engineering Controls

Recommended monitoring	Components with workplace-related limit values to be monitored:
: procedures	Occupational exposure limits (AGW) TRGS 900 / RL 2000/39 / EC and amending directives /
•	Biological limit values (BGW) TRGS 903
	CAS / Name of substance Monitoring values AGW / BGW
	64-17-5 / Ethanol 500 ppm, 960 mg / m3 , 2 (II), Y
	Y = A risk of fetal damage does not need to be feared if AGW is adhered to.
	B = whole blood, U = urine, b = end of exposure or end of shift

8.2. Exposure controls

Appropriate engineering	Provide sufficient air exchange and / or exhaust in work rooms
controls	
Hygiene measures	
Eye/face protection	Safety glasses according to EN 166
Hand protection	Ask for more information from the manufacturer of the gloves.
	Long-term exposure: Protective nitrile or butyl rubber gloves according to EN 374.
	Breakthrough time:> 240 min / Layer thickness: 0.7 mm / Level 5.
	Short-term exposure: Protective nitrile or butyl rubber gloves according to EN 374.
	Breakthrough time:> 30 min / Layer thickness: 0.4 mm / Level 2



Body protection	working clothes
Other skin protection	The type of protective equipment must vary depending on the concentration and
	Amount of dangerous substance to be selected in the workplace
Respiratory protection	In case of insufficient ventilation wear suitable respiratory equipment. Short term filter device A
Environmental exposure	
Controls	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Psysical State	liquid
Colour	Colourless
Odor	Weak alcohol
Boiling Point/Freezing Point	
Melting point/range	
Flash point (°F/°C)	>35°C
pH	6,5 -7
Evaporation rate	
Vapour pressure	<59 mbar
Relative density	
Solubility In Water	
Specific Gravity	
Viscosity	
% Volatile	
Decomposition Temperature	
Ignition	
Octanol/Water Partioning Coefficient Log Po/w	
Flammable Limit (vol%)	
Auto-ignition Temperature (vol%)	
VOC content (g / kg):	180

NDA= No Data Available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Chemical stability	Normally Stable.
--------------------	------------------

10.3. Possibility of hazardous reactions

Possibility of dangerous reactions:	Reactions with oxidizing agents
-------------------------------------	---------------------------------

10.4. Conditions to avoid

Conditions to avoid	

10.5. Incompatible materials

	Al In Inc.
Materials to avoid	No specific data



10.6. Hazardous decomposition products

Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition	
	products should not be produced	

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Eye contact	Causes serious eye irritation
Inhalation	LC50 Rat, (ppm / 10 h): 20000
Skin contact	LD50 Rat, (mg / kg): > 20 g / kg
Ingestion	LD50 Rat, (mg / kg): 6200
	LD0 person, (mg / kg): 1400
	chemical and toxicological characteristics
Eye contact	
Inhalation	
Skin contact	
Ingestion	
Delayed and immediate effects and	d also chronic effects from short and long term exposure
Short term exposure	
Potential immediate	
Effects	
Potential delayed effects	
Long term exposure	
Potential immediate	
Effects	
Potential delayed effects	
Potential chronic health effects	Not available.
General	
Carcinogenicity	
Mutagenicity	
Teratogenicity	
Developmental effects	
Fertility effects	
Other information	

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Ecotoxic effects, aquatic toxicity:

Slightly hazardous to water. Water hazard class 1.

Data for ethanol taken from the Gestis Substance Database

LC50 fish (96 hours) Median value: 11000 mg / I LC50 crustaceans (48 hours) Median value: 9820 mg / I Data for 2-Propanol taken from the Gestis Substance Database

LC50 fish (96 hours Median value: 9640 LC50 crustaceans (48 hours) Median value: 1400 mg / I



12.3 Bioaccumulative potential

Biodegradability	LogPow	BCF	Potential
No bioaccumulation.			

12.4 Mobility in soil

Soil/water partition coefficient (KOC)	Not available.
Mobility	No mobility

SECTION 13. DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1. Waste treatment methods

Disposal operations	Waste code - No .: 07 06 99 - Waste from HZVA of fats, lubricants, soaps, detergents, Disinfectants and toilet preparations, waste, n.a.g. (Decision 2101/955 / EU) In addition, observe local official regulations
Hazardous waste	
Packaging	
Methods of disposal	
Special precautions	

SECTION 14. TRANSPORT INFORMATION

DOT (49 CFR 172)	Not DG
Proper Shipping Name	
Identification #	
Marine Pollutant	
Special Provisions	
Emergency Response Guidebook (ERG)#	
IATA (DGR)	Not DG
Proper Shipping Name	
Class or Division	
UN or ID Number	
Packaging instructions	
Emergency Response Guidance (ICAO)#	
IMO (IMDG)	Not DG
Proper Shipping Name	
Class or Division	
UN or ID Number	
Special Provisions & Stowage/Segregation	
Emergency Schedule (EmS)#	
Other Information	



SECTION 15. REGULATORY INFORMATION

15.1Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 States in artikel1.5 (C)

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user

C) cosmetic products as defined in Directive 76/768/EEC

15.2 Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance/ mixture by the supplier

SECTION 16. OTHER INFORMATION

The information presented in this MSDS was obtained from sources considered to be reliable. However the information is provided without any warranty, expressed or implied, regarding its correctness and suitability for consumers intended use and/or application. For this reason, we assume no responsibility and expressly disclaim liability for loss, damage, or expense arising out of any use connected with the handling, storage, use or disposal of the product. If the product is used in conjunction with another product, the information within the MSDS may not be applicable.

Prepared by; DVD Group - De Run 4222 – 5503LL - Veldhoven - Netherlands - Tel: +31 (0) 40 -2307559 – info@dvdgroup.eu