



## MATERIAL SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product name:** Lash Primer  
3ml = 4340622001  
8 pages  
**Use of substance / mixture:** Cosmetics, To increase the adhesion of the eyelash adhesive  
**Chemical characterization:** Aqueous alcoholic solution with functional additives

Details of the supplier of the safety data sheet:

**Company name:** International Beauty Partners B.V.  
De Run 4221  
5503 LM Veldhoven  
The Netherlands  
**Tel:** +31 (0) 40 - 2069509  
**Fax:** +31 (0) 40 - 2065481  
**Email:** [info@wwbdgroup.com](mailto:info@wwbdgroup.com)

**Emergency tel:** National Poison Centre Netherlands tel: +31 (0)30 – 2748888 ‘  
**Only for the purpose of informing medical personnel in cases of acute intoxications’**

**REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 States in artikel1.5 (C)**

**This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user**



**C) cosmetic products as defined in Directive 76/768/EEC**

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1. 2.1 Classification of the substance or mixture

Product definition : Mixture  
Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]  
Signal word: Attention  
Hazard-determining components for labeling: Ethanol, 2-propanol  
H phrases: H226 - Flammable liquid and vapor.  
H319 - Causes serious eye irritation.  
H336 May cause drowsiness and dizziness.  
P-phrases:  
P210 - Keep away from heat / sparks / open flames / hot surfaces. Do not smoke.  
P403 + P235 - Keep cool in a well-ventilated place.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes  
Rinse. Remove any contact lenses if possible. Continue rinsing.  
P337 + P313 - If eye irritation persists: Get medical advice / attention.  
P271 - Use only outdoors or in well-ventilated areas.  
P405 - Store locked up.  
P501: Dispose of container to a licensed waste disposal company, Waste Code Number: 07 06 99.  
P502 - Ask for information on reuse / recycling at the manufacturer / supplier

## 2.2 Label elements

<b>Hazard pictograms</b>	 
<b>Signal word</b>	Warning
<b>Response</b>	Other dangers: For the people In use, formation of explosive / highly flammable vapor-air mixtures possible. Prolonged skin contact can cause skin irritation. For the environment: Slightly hazardous to water. Water hazard class 1. Persistent, bioaccumulative and toxic (PBT) substances: None. Very persistent and very bioaccumulative (vPvB) substances: None

NUTE: Refer to Section 11, Toxicological Information for Details

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1.Mixtures

#### Hazardous ingredients ; Non

Chemical identity	CAS#	EINECS#	INCI Name	Classification Regulation (EC) No. 1272/2008 [CLP]	%
Ethanol / 01-2119457610-43	64-17-5	200-578-6	Alcohol	GHS02 GHS07 H225 H319	10-25
Propan-2-ol, isopropanol	67-63-0	200-661-7	ISOPROPYL ALCOHOL	GHS02, GHS07 H225, H319, H336	10-25

H225 = Flam. Liq. 2, H319 = Eye Irrit. 2, H336 =STOT SE 3

#### Ingredients non hazardous:

Aqua, Pvp, Sodium Lactate, Lactic Acid, Glycerin, Serine, Sorbitol, Tea-Lactate, Urea, Sodium Chloride, Allantoin Sodium Benzoate.

## SECTION 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if possible. Continue rinsing. If eye irritation persists: Get medical advice / attention.
<b>Skin contact</b>	Wash with water and soap. If skin irritation persists, call a physician
<b>Inhalation</b>	Go to the fresh air. If the problems are persistent, consult a doctor
<b>Ingestion</b>	Rinse your mouth and drink plenty of water. If swallowed in large quantities, seek medical advice immediately
<b>Protection of first-aiders</b>	

## 4.2 Most important symptoms and effects, both acute and delayed

<b>Potential acute health effects</b>	Most important symptoms: Headache, drowsiness, aspiration can lead to pulmonary edema and pneumonia
<b>Eye contact</b>	
<b>Inhalation</b>	
<b>Skin contact</b>	
<b>Ingestion</b>	
<b>Over-exposure signs/symptoms</b>	Treat symptomatically. Emergency therapy nerve agent / solvent.
<b>Eye contact</b>	
<b>Inhalation</b>	
<b>Skin contact</b>	
<b>Ingestion</b>	

## SECTION 5. FIRE-FIGHTING MEASURES

Flash Point (°F/°C)	Flammable Limit (vol %)	Auto-ignition Temperature (vol%)

### Method:

<b>Extinguishing Media</b>	Water, foam, extinguishing powder and carbon dioxide
<b>Fire Fighting Instructions</b>	
<b>Unusual Hazards</b>	
<b>Hazards from the substance or mixture</b>	
<b>Hazardous thermal decomposition products</b>	In case of fire may be released: carbon oxides.
<b>5.3 Advice for firefighters</b>	
<b>Special protective actions for fire-fighters</b>	Cool containers / tanks with water spray
<b>Special protective equipment for fire-fighters</b>	Wear self-contained breathing apparatus. Tight closing chemical protective suit

## SECTION 6. ACCIDENTAL RELEASE MEASURES

<b>6.2 Environmental precautions</b>	
<b>For non-emergency personnel</b>	Use personal protective equipment. Do not inhale steam. Ensure adequate ventilation. Remove all sources of ignition
<b>For emergency responders</b>	Use personal protective equipment. Do not inhale steam. Ensure adequate ventilation. Remove all sources of ignition.
<b>6.3 Methods and material for containment and cleaning up</b>	
<b>Small spill</b>	Absorb with liquid-binding materials. In suitable containers for recovery or disposal respectively. Wash away traces with water.
<b>Large spill</b>	Do not allow large quantities to reach drains / surface waters / groundwater. If large quantities of spilled material can not be contained, local authorities should be notified. Absorb with liquid-binding material (eg Universal binding medium) and in suitable containers for disposal
<b>6.4 Reference to other sections</b>	
	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information

## SECTION 7. HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1. Precautions for safe handling

<b>Protective measures</b>	Do not inhale steam. Avoid contact with eyes and skin. Ensure adequate ventilation especially in closed rooms. Vapors are heavier than air and spread above the ground. Keep container tightly closed and store in a cool, well-ventilated place.
<b>Advice on general occupational hygiene</b>	Avoid contact with eyes. Do not inhale steam. Do not eat, drink or smoke at work. Remove soiled clothing and wash before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage conditions</b>	Stable floor against solvents. Ensure adequate ventilation. Protect from sunlight. Do not store together with: Radioactive substances, infectious substances, non-combustible toxic substances, organic peroxides, oxidizing substances, substances which, in contact with water, form flammable gases, self-igniting substances and flammable solids. Storage class: 3 (VCI concept) Information about fire and explosion protection: Usual measures of preventive fire protection.
---------------------------	---

### 7.3. Specific end use(s)

<b>Explosion Hazard</b>	Cosmetic product: To increase the adhesion of the eyelash adhesive
-------------------------	--

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases

### 8.1. Engineering Controls

<b>Recommended monitoring : procedures</b>	Components with workplace-related limit values to be monitored: Occupational exposure limits (AGW) TRGS 900 / RL 2000/39 / EC and amending directives / Biological limit values (BGW) TRGS 903 CAS / Name of substance Monitoring values AGW / BGW 64-17-5 / Ethanol 500 ppm, 960 mg / m <sup>3</sup> , 2 (II), Y 67-63-0 / 2-Propanol 200 ppm, 500 mg / m <sup>3</sup> ; 2(II), Y BGW: 25 mg / l, B, b; U, b (Parameter Aceton)  Y = A risk of fetal damage does not need to be feared if AGW is adhered to. B = whole blood, U = urine, b = end of exposure or end of shift
--	---

### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	Provide sufficient air exchange and / or exhaust in work rooms
<b>Hygiene measures</b>	
<b>Eye/face protection</b>	Safety glasses according to EN 166
<b>Hand protection</b>	Ask for more information from the manufacturer of the gloves. Long-term exposure: Protective nitrile or butyl rubber gloves according to EN 374. Breakthrough time:> 240 min / Layer thickness: 0.7 mm / Level 5.

	Short-term exposure: Protective nitrile or butyl rubber gloves according to EN 374. Breakthrough time:> 30 min / Layer thickness: 0.4 mm / Level 2
<b>Body protection</b>	working clothes
<b>Other skin protection</b>	The type of protective equipment must vary depending on the concentration and Amount of dangerous substance to be selected in the workplace
<b>Respiratory protection</b>	In case of insufficient ventilation wear suitable respiratory equipment. Short term filter device A
<b>Environmental exposure Controls</b>	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	liquid
<b>Colour</b>	Colourless
<b>Odor</b>	Weak alcohol
<b>Boiling Point/Freezing Point</b>	
<b>Melting point/range</b>	
<b>Flash point (°F/°C)</b>	>23°C
<b>pH</b>	6-7
<b>Evaporation rate</b>	
<b>Vapour pressure</b>	1.59 ethanol kPa [room temperature]
<b>Relative density</b>	
<b>Solubility In Water</b>	completely
<b>Specific Gravity</b>	
<b>Viscosity</b>	
<b>% Volatile</b>	
<b>Decomposition Temperature</b>	
<b>Ignition</b>	
<b>Octanol/Water Partitioning Coefficient Log Po/w</b>	
<b>Flammable Limit (vol%)</b>	
<b>Auto-ignition Temperature (vol%)</b>	
<b>VOC content (g / kg):</b>	200 - 500

NDA= No Data Available

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

<b>Chemical stability</b>	Normally Stable.
---------------------------	------------------

### 10.3. Possibility of hazardous reactions

<b>Possibility of dangerous reactions:</b>	Reactions with oxidizing agents
--	---------------------------------

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Keep away from heat / sparks / open flame / hot surfaces
----------------------------	--

### 10.5. Incompatible materials

<b>Materials to avoid</b>	No specific data
---------------------------	------------------

## 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced
---	---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

<b>Eye contact</b>	Causes serious eye irritation
<b>Inhalation</b>	LC50 Rat, (ppm / 10 h): 20000
<b>Skin contact</b>	LD50 Rat, (mg / kg): > 20 g / kg
<b>Ingestion</b>	LD50 Rat, (mg / kg): 6200 LD0 person, (mg / kg): 1400
<p>Germ cell mutagenicity: Germ cell mutagen cat. 5 (DFG classification)            Carcinogenicity: cancer. Cat. 5 (DFG classification)            Reproductive toxicity: A risk is not possible if the exposure limit value is observed fear.            Specific target organ toxicity in single exposure: No data available.            Specific target organ toxicity in repeated exposure: No data available.            Aspiration hazard: Yes.2-propanol:            Ingestion, LD50 human, (mg / kg): 3570            Ingested, LD50 rat, (mg / kg): 5045            Skin contact, LD50 rabbit, (mg / kg): 12800            Skin corrosion / irritation: None.            Serious eye damage / irritation: Causes serious eye irritation.            Respiratory or skin sensitization: None.            Germ cell mutagenicity: None.            Carcinogenicity: None.            Reproductive toxicity: A risk is not possible if the exposure limit value is observed            Specific target organ toxicity in single exposure: May cause drowsiness or dizziness. STOT SE 3.            Specific target organ toxicity in repeated exposure: No data available.            Aspiration hazard: Yes.</p>	
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	
<b>Eye contact</b>	
<b>Inhalation</b>	
<b>Skin contact</b>	
<b>Ingestion</b>	
<b>Delayed and immediate effects and also chronic effects from short and long term exposure</b>	
<b>Short term exposure</b>	
<b>Potential immediate Effects</b>	
<b>Potential delayed effects</b>	
<b>Long term exposure</b>	
<b>Potential immediate Effects</b>	
<b>Potential delayed effects</b>	
<b>Potential chronic health effects</b>	Not available.
<b>General</b>	
<b>Carcinogenicity</b>	
<b>Mutagenicity</b>	
<b>Teratogenicity</b>	
<b>Developmental effects</b>	
<b>Fertility effects</b>	

<b>Other information</b>	
--------------------------	--

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Ecotoxic effects, aquatic toxicity:**

**Slightly hazardous to water. Water hazard class 1.**

**Data for ethanol taken from the Gestis Substance Database**

LC50 fish (96 hours)                      **Median value: 11000 mg / l**

LC50 crustaceans (48 hours)            **Median value: 9820 mg / l**

**Data for 2-Propanol taken from the Gestis Substance Database**

LC50 fish (96 hours)                      **Median value: 9640**

LC50 crustaceans (48 hours)            **Median value: 1400 mg / l**

### 12.3 Bioaccumulative potential

Biodegradability	LogPow	BCF	Potential
No bioaccumulation.			

### 12.4 Mobility in soil

<b>Soil/water partition coefficient (KOC)</b>	Not available.
<b>Mobility</b>	No mobility

## SECTION 13. DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1. Waste treatment methods

<b>Disposal operations</b>	Waste code - No.: 07 06 99 - Waste from HZVA of fats, lubricants, soaps, detergents, Disinfectants and toilet preparations, waste, n.a.g. (Decision 2101/955 / EU) In addition, observe local official regulations
<b>Hazardous waste</b>	
<b>Packaging</b>	
<b>Methods of disposal</b>	
<b>Special precautions</b>	

## SECTION 14. TRANSPORT INFORMATION

<b>DOT (49 CFR 172)</b>	UN1170
Proper Shipping Name	ETHANOL SOLUTION / Ethanol Solution
Identification #	
Marine Pollutant	
Special Provisions	
<b>Emergency Response Guidebook (ERG)#</b>	
<b>IATA (DGR)</b>	UN1170
Proper Shipping Name	ETHANOL SOLUTION / Ethanol Solution
Class or Division	3 / F1 (Flammable Liquid)
UN or ID Number	
Packaging instructions	LQ according to 3.4 ADR: 5 l per inner packaging and 30 kg gross weight, marking 3.4.7.1 ADR



	Excepted quantity according to 3.5.1.2 ADR: E1 = 30 ml maximum net amount per inner packaging and 1000 ml highest net quantity per outer packaging, marking 3.5.4.2 ADR Transport category (tunnel restriction code): 3 (D / E)
<b>Emergency Response Guidance (ICAO)#</b>	
<b>IMO (IMDG)</b>	UN1170
Proper Shipping Name	ETHANOL SOLUTION / Ethanol Solution
Class or Division	
UN or ID Number	
Special Provisions & Stowage/Segregation	
<b>Emergency Schedule (EmS)#</b>	
<b>Other Information</b>	

**SECTION 15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV

**REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006**  
 States in artikel 1.5 (C)

**This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user**  
**C) cosmetic products as defined in Directive 76/768/EEC**

**15.2 Chemical Safety Assessment:** No Chemical Safety Assessment has been carried out for this substance/ mixture by the supplier

**SECTION 16. OTHER INFORMATION**

The information presented in this MSDS was obtained from sources considered to be reliable. However the information is provided without any warranty, expressed or implied, regarding its correctness and suitability for consumers intended use and/or application. For this reason, we assume no responsibility and expressly disclaim liability for loss, damage, or expense arising out of any use connected with the handling, storage, use or disposal of the product. If the product is used in conjunction with another product, the information within the MSDS may not be applicable.

**Prepared by; DVD Group - De Run 4222 – 5503LL - Veldhoven - Netherlands - Tel: +31 (0) 40 -2307559 – info@dvdgroup.eu**