



MATERIAL SAFETY DATA SHEET

**SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product name:** Lash Lifting adhesive  
5 gr = 4440621009

**Use of substance / mixture:** Cosmetics, Special glue to the silicone. Curling Rolls on the eyelid and then attach the natural lashes to the curling rolls.

**Chemical characterization:** Acrylate copolymer with functional additives

Details of the supplier of the safety data sheet:

**Company name:** International Beauty Partners B.V.  
De Run 4221  
5503 LM Veldhoven  
The Netherlands

**Tel:** +31 (0) 40 - 2069509

**Fax:** +31 (0) 40 - 2065481

**Email:** [info@wwbdgroup.com](mailto:info@wwbdgroup.com)

**Emergency tel:** National Poison Centre Netherlands tel: +31 (0)30 – 2748888 ‘

**Only for the purpose of informing medical personnel in cases of acute intoxications’**

**REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006**

States in artikel1.5 (C)

**This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user**

**C) cosmetic products as defined in Directive 76/768/EEC**

**SECTION 2. HAZARDS IDENTIFICATION**

**2.1. 2.1 Classification of the substance or mixture**

Product definition : Mixture  
Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]  
The product is not subject to labeling. EUH210 - Safety data sheet available on request.

**2.2 Label elements**

<b>Hazard pictograms</b>	
<b>Signal word</b>	
<b>Response</b>	

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Mixtures**

**Hazardous ingredients ; Non**

Chemical identity	CAS#	EINECS#	INCI Name	Classification Regulation (EC) No. 1272/2008 [CLP]	%
Ethanol	64-17-5	603-002-00-5	Alcohol	H225, GHS02 Dgr	5-10

H319 =Eye Irrit. 2, H225 = Flam. Liq. 2

**SECTION 4. FIRST AID MEASURES**

**4.1. Description of first aid measures**

<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes.Owner contact lenses if possible remove. Continue rinsing. If eye irritation persists: Get medical advice / attention
<b>Skin contact</b>	IF ON SKIN: Wash with plenty of soap and water. If skin irritation persists, call a physician.
<b>Inhalation</b>	After inhalation of vapors or decomposition products in case of accident, move to fresh air. Consult a doctor.
<b>Ingestion</b>	Do not induce vomiting. Rinse the mouth with water and drink plenty of water. If the problems are persistent, consult a doctor.
<b>Protection of first-aiders</b>	

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Potential acute health effects</b>	Most important symptoms: Headache, drowsiness, aspiration can lead to pulmonary edema and pneumonia
<b>Eye contact</b>	
<b>Inhalation</b>	
<b>Skin contact</b>	
<b>Ingestion</b>	
<b>Over-exposure signs/symptoms</b>	Treat symptomatically. Emergency therapy nerve agent / solvent.
<b>Eye contact</b>	
<b>Inhalation</b>	
<b>Skin contact</b>	
<b>Ingestion</b>	

## SECTION 5. FIRE-FIGHTING MEASURES

Flash Point (°F/°C)	Flammable Limit (vol %)	Auto-ignition Temperature (vol%)

### Method:

<b>Extinguishing Media</b>	Use dry chemical, CO <sub>2</sub> , water spray or "alcohol" foam
<b>Fire Fighting Instructions</b>	
<b>Unusual Hazards</b>	
<b>Hazards from the substance or mixture</b>	
<b>Hazardous thermal decomposition products</b>	In case of fire may be released: carbon oxides.
<b>5.3 Advice for firefighters</b>	
<b>Special protective actions for fire-fighters</b>	Cool containers / tanks with water spray
<b>Special protective equipment for fire-fighters</b>	Wear self-contained breathing apparatus. Tight closing chemical protective suit

## SECTION 6. ACCIDENTAL RELEASE MEASURES

<b>6.2 Environmental precautions</b>	
<b>For non-emergency personnel</b>	Use personal protective equipment
<b>For emergency responders</b>	Use personal protective equipment
Nicht in Oberflächenwasser oder Kanalisation gelangen lassen. Wenn größere Mengen verschütteten Materials nicht eingedämmt werden können, sollen die lokalen Behörden benachrichtigt werden. Mit flüssigkeitsbindendem Material aufnehmen (z. B. Sand, Silikagel, Universalbindemittel). Mechanisch aufnehmen und in geeigneten Behältern zur Entsorgung bringen.	
<b>6.3 Methods and material for containment and cleaning up</b>	
<b>Small spill</b>	Absorb with liquid-binding material (eg sand, silica gel, acid binder, universal binder). Pick up mechanically and place in suitable containers for disposal.
<b>Large spill</b>	Absorb with liquid-binding material (eg sand, silica gel, acid binder, universal binder). Pick up mechanically and place in suitable containers for disposal.
<b>6.4 Reference to other sections</b>	
	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information

## SECTION 7. HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1. Precautions for safe handling

<b>Protective measures</b>	Use personal protective equipment. For adequate air exchange and / or exhaustion in the Work rooms.
<b>Advice on general occupational hygiene</b>	Do not inhale steam. Avoid contact with eyes and skin. do not eat and drink during work. Do not smoke while working. Take off dirty, soaked clothes immediately.

## 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage conditions</b>	<p>Keep away from oxidizing agents and alkaline substances.</p> <p>Information about fire and explosion protection: Usual measures of preventive fire protection.</p> <p>Requirements for storerooms and containers: No special storage conditions required.</p> <p>Further information on storage conditions: No.</p> <p>Storage class: 12 (VCI concept)</p>
---------------------------	---

## 7.3. Specific end use(s)

<b>Explosion Hazard</b>	Cosmetic product: Special skin-friendly adhesive to the silicone curling rolls on the eyelid and then to attach the natural lashes to the curling rolls
-------------------------	---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases

### 8.1. Engineering Controls

<b>Recommended monitoring : procedures</b>	Occupational exposure limits (AGW) TRGS 900 / RL 2000/39 / EC / Biological limit values (BGW) TRGS 903
<b>64-17-5 / Ethanol</b>	200 ppm, 500 mg / m <sup>3</sup> ; Y, BAT: 50 mg / l U, b; B, b (Parameter Aceton)

Y = A risk of fetal damage does not need to be feared if AGW is adhered to.

B = whole blood, U = urine, b = end of exposure or end of shift

Source: Values from GESTIS Substance Database

<b>DNEL-Werte: Ethanol</b>	
<b>Langzeit - Exposition - systemische Wirkungen:</b>	Inhalativ: 950 mg / m <sup>3</sup>

### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	Provide sufficient air exchange and / or exhaust in work rooms.
<b>Hygiene measures</b>	
<b>Eye/face protection</b>	Long-sleeved workwear
<b>Hand protection</b>	
<b>Body protection</b>	Long-sleeved workwear
<b>Other skin protection</b>	
<b>Respiratory protection</b>	<p>Long-term exposure: Protective gloves made of butyl rubber according to EN 374. Breakthrough time:&gt; 480 minutes / Layer thickness: 0.7 mm / Level 6. Ask for more information from the manufacturer of the gloves.</p> <p>Short term exposure: Protective gloves made of butyl rubber according to EN 374. Breakthrough time:&gt; 30 minutes / Layer thickness: 0.4 mm / Level 2. Ask for more information from the manufacturer of the gloves.</p>
<b>Environmental exposure Controls</b>	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical State	viscous liquid
Colour	Colourless
Odor	slightly piercing (after acrylate)
Boiling Point/Freezing Point	~100
Melting point/range	~0
Flash point (°F/°C)	
pH	7 - 8
Evaporation rate	
Vapour pressure	
Relative density	
Solubility In Water	insoluble
Specific Gravity	
Viscosity	1000 – 1200 cps
% Volatile	
Decomposition Temperature	
Ignition	
Octanol/Water Partitioning Coefficient Log Po/w	
Flammable Limit (vol%)	
Auto-ignition Temperature (vol%)	
VOC content (g / kg):	60
Density (g / ml):	1.05

NDA= No Data Available

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

Chemical stability	Normally Stable.
--------------------	------------------

### 10.3. Possibility of hazardous reactions

Possibility of dangerous reactions:	Reactions with oxidizing agents
-------------------------------------	---------------------------------

### 10.4. Conditions to avoid

Conditions to avoid	
---------------------	--

### 10.5. Incompatible materials

Materials to avoid	No specific data
--------------------	------------------

### 10.6. Hazardous decomposition products

Hazardous decomposition products	
----------------------------------	--

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity of the mixture: Non

#### Akute Toxizität Stoffe Ethanol:

<b>Eye contact</b>	Causes serious eye irritation
<b>Inhalation</b>	LC50 Rat, (ppm / 10 h): 20000
<b>Skin contact</b>	LD50 Rat, (mg / kg): > 20 g / kg
<b>Ingestion</b>	LD50 Rat, (mg / kg): 6200 LD0 person, (mg / kg): 1400
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	
<b>Eye contact</b>	
<b>Inhalation</b>	Inhalation, LC50 rat, (ppm / 10 h): 20000
<b>Skin contact</b>	Skin contact, LD50 rat, (g / kg): > 20
<b>Ingestion</b>	Ingestion, LD50 human, (mg / kg): 1400 Ingested, LD50 rat, (mg / kg): 6200
	Skin corrosion / irritation: None. Serious eye damage / irritation: Causes serious eye irritation. Respiratory or skin sensitization: None. Germ cell mutagenicity: Germ cell mutagen cat. 5 (DFG classification) Carcinogenicity: cancer. Cat. 5 (DFG classification) Reproductive toxicity: A risk is not possible if the exposure limit value is observed fear. Specific target organ toxicity in single exposure: No data available. Specific target organ toxicity in repeated exposure: No data available. Aspiration hazard: Yes
<b>Delayed and immediate effects and also chronic effects from short and long term exposure</b>	
<b>Short term exposure</b>	
<b>Potential immediate Effects</b>	
<b>Potential delayed effects</b>	
<b>Long term exposure</b>	
<b>Potential immediate Effects</b>	
<b>Potential delayed effects</b>	
<b>Potential chronic health effects</b>	<b>Not available.</b>
<b>General</b>	
<b>Carcinogenicity</b>	
<b>Mutagenicity</b>	
<b>Teratogenicity</b>	
<b>Developmental effects</b>	
<b>Fertility effects</b>	
<b>Other information</b>	

**SECTION 12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**

Slightly hazardous to water. Water hazard class 1.  
 Data for ethanol taken from the GESTIS Substance Database  
 LC50 fish (96 hours)  
 Minimum value: 42 mg / l  
 Maximum value: 14200 mg / l  
 Median value: 11000 mg / l

**12.3 Bioaccumulative potential**

Biodegradability	LogPow	BCF	Potential

**12.4 Mobility in soil**

Soil/water partition coefficient (KOC)	Not available.
Mobility	Not available.

**SECTION 13. DISPOSAL CONSIDERATIONS**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

**13.1. Waste treatment methods**

Disposal operations	Waste code - No.: 07 06 99 - Waste from HZVA of fats, lubricants, soaps, detergents, Disinfectants and toilet preparations, waste, n.a.g. (Decision 2101/955 / EU) In addition, observe local official regulations
Hazardous waste	
Packaging	Recommendation: Rinse with suitable cleaning agent. Otherwise like product leftovers. Safe handling: As for product leftovers.
Methods of disposal	
Special precautions	

**SECTION 14. TRANSPORT INFORMATION**

<b>DOT (49 CFR 172)</b>	Not dangerous goods in terms of transport regulations.
Proper Shipping Name	
Identification #	
Marine Pollutant	
Special Provisions	
<b>Emergency Response Guidebook (ERG)#</b>	
<b>IATA (DGR)</b>	Not dangerous goods in terms of transport regulations.
Proper Shipping Name	
Class or Division	
UN or ID Number	
Packaging instructions	
<b>Emergency Response Guidance (ICAO)#</b>	
<b>IMO (IMDG)</b>	Not dangerous goods in terms of transport regulations.
Proper Shipping Name	
Class or Division	
UN or ID Number	
Special Provisions & Stowage/Segregation	



Emergency Schedule (EmS)#	
Other Information	

## SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
States in artikel 1.5 (C)

**This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user**

**C) cosmetic products as defined in Directive 76/768/EEC**

15.2 **Chemical Safety Assessment:** No Chemical Safety Assessment has been carried out for this substance/ mixture by the supplier

## SECTION 16. OTHER INFORMATION

The information presented in this MSDS was obtained from sources considered to be reliable. However the information is provided without any warranty, expressed or implied, regarding its correctness and suitability for consumers intended use and/or application. For this reason, we assume no responsibility and expressly disclaim liability for loss, damage, or expense arising out of any use connected with the handling, storage, use or disposal of the product. If the product is used in conjunction with another product, the information within the MSDS may not be applicable.

**Prepared by; DVD Group - De Run 4222 – 5503LL - Veldhoven - Netherlands - Tel: +31 (0) 40 -2307559 – info@dvdgroup.eu**